



# Certificate of Analysis

**Sample: DE00504006-001**

**Harvest/Lot ID: N/A**

**Metrc #: 1A400031269FB2B000000329**

**Seed to Sale #1A400031269FB2B000000329**

**Batch Date: N/A**

**Batch#: N/A**

**Sample Size Received: 1 units**

**Retail Product Size: N/A**

**Ordered: 05/04/20**

**Sampled: 05/04/20**

**Completed: 05/07/20 Expires: 05/07/21**

**Sampling Method: SOP-024**

**PASSED**

Page 1 of 2

**May 07, 2020 | The Plug Supply**

License #

2000 S. Colorado Blvd Denver  
CO, 80222




## SAFETY RESULTS

## MISC.



**Pesticides**  
NOT TESTED



**Heavy Metals**  
NOT TESTED



**Microbials**  
PASSED



**Mycotoxins**  
NOT TESTED



**Residuals  
Solvents**  
NOT TESTED



**Filth**  
NOT TESTED



**Water Activity**  
NOT TESTED



**Moisture**  
NOT TESTED



**Homogeneity**  
NOT TESTED



**Terpenes**  
NOT TESTED

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

**Stephen Goldman**  
Lab Director

State License #  
405R-00011 405-00008  
ISO Accreditation # 4331.01

Signature

05/07/2020

Signed On



# Certificate of Analysis

**PASSED**
**The Plug Supply**

 2000 S. Colorado Blvd Denver  
 CO, 80222

**Telephone:** (720) 273-7445

**Email:** kodi@theplugsupply.com

**License #:**
**Sample :** DE00504006-001

**Harvest/LOT ID:** N/A

**Batch# :** N/A

**Sampled :** 05/04/20

**Ordered :** 05/04/20

**Sample Size Received :** 1 units

**Completed :** 05/07/20 **Expires:** 05/07/21

**Sample Method :** SOP-024

Page 2 of 2


**Microbials**
**PASSED**
**Analyte**

 SALMONELLA\_SPECIFIC\_GENE  
 ESCHERICHIA\_COLI\_SHIGELLA\_SPP  
 TOTAL\_YEAST\_AND\_MOLD

**Result**

 not present in 1 gram.  
 not present in 1 gram.  
 not present in 1 gram.

**Analysis Method -** SOP-061 (R2); SOP-062 (R2); SOP-063 (R1)

**Analytical Batch -** DE000315MIC | **Reviewed On -** 05/07/20 08:29:11

**Instrument Used :** Microbial - Full Panel

**Batch Date :** 05/04/20 11:47:34

Analyzed by	Weight	Extraction date	Extracted By
6	38.54g	05/05/20 07:05:22	6

Reagent	Dilution	Consums. ID
---------	----------	-------------

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.